



IMPROVEMENT PERMIT

Beaufort County Health Department

Environmental Health Section

220 North Market St.

Washington NC 27889

Phone: 252-946-6048 Fax: 252-946-2074

For Office Use Only

Page 1 of 2

*CDP File Number 48236 - 3
County ID Number: 7602-03-7137
Evaluated For: NEW

PERMIT VALID UNTIL: 03 / 02 / 2026

*NOTE TO INSPECTIONS DIVISION: Building Permits cannot be issued with only an Improvement Permit. ☐ Fill Sheet ☐ CA?

Applicant: Earl Dehoog
Address: 23538 Hwy 264 E
City: Pantego
State/Zip: NC 27860
Phone #: (252) 964-4015

Property Owner: Earl Dehoog
Address: 23538 Hwy 264 E
City: Pantego
State/Zip: NC 27860
Phone #: (252) 964-4015

Address Bailey Pointe Drive
Road # Belhaven NC 27810
Township:

Property Location & Site Information

Subdivision: Bailey Point Phase: Lot: 83

Structure: SINGLE FAMILY
of Bedrooms: 3
of People: 6

Directions

Pamlico Beach Road---to Bailey Point

*Water Supply: PUBLIC

Initial System

*Site Classification: Provisionally Suitable

Saprolite System? ☐ Yes ☒ No

Design Flow: 3 6 0

Soil Group: III

Soil Application Rate: 0 . 4

*System Classification/Description:

TYPE II A. CONV SYSTEM (SINGLE-FAMILY OR 480 GPD OR

*Proposed System: CONVENTIONAL

System Specifications

Minimum Trench Depth: 1 5 Inches

Maximum Trench Depth: 1 5 Inches

Fill Depth: Inches

Septic Tank: 1 0 0 0 Gallons

Pump Required: ☐ Yes ☐ No ☒ May Be Required

Pump Tank: 1 0 0 0 Gallons

Repair System Required: ☒ Yes ☐ No ☐ No, but has Available Space

Repair System

*Site Classification: Provisionally Suitable

Soil Application Rate: 0 . 4

*System Classification/Description:

TYPE II A. CONV SYSTEM (SINGLE-FAMILY OR 480 GPD OR LESS)

*Proposed System: CONVENTIONAL

Minimum Trench Depth: 1 5 Inches

Maximum Trench Depth: 1 5 Inches

Fill Depth: Inches

Pump Required: ☐ Yes ☐ No ☒ May be Required

Pump Tank: 1 0 0 0 Gallons

No grading or construction activity is allowed in areas designated for system and repair without approval of Health Department.

*Site Modifications

*Permit Conditions

The issuance of this permit by the Health Department in no way guarantees the issuance of other permits. The permit holder is responsible for checking with appropriate governing bodies in meeting their requirements.
1000gal septic tank, distribution box, all piping and 4 (3' x 75') conventional drainlines as shown on permit;
Conventional Repair; An Authorization to Construct will be issued upon approval of final site plan by Beaufort County Health Department

The Department and Local Health Department may impose conditions on the issuance and may revoke the permits for failure of the system to satisfy the conditions, the rules, or this article. This permit is subject to revocation if the site plan, plat, or intended use changes (NCGS 130A-335(f)). The person owning or controlling the system shall be responsible for assuring compliance with the laws, rules, and permit conditions regarding system location, installation, operation, maintenance, monitoring, reporting, and repair (.1938(b)).

*Authorized State Agent: 2018 - Hager, Matthew

Date of Issue: 03 / 02 / 2021

Authorized State Agent Signature: *[Signature]*

Owner/Applicant Signature: _____

Site Plan/Drawing attached.

☐ Hand Drawing ☐ Import Drawing

Character

Remaining

750

Character

Remaining

3751

IMPROVEMENT PERMIT

Owner: Earl DeHoog
Owner Address: 1108 Ross Rd.
Owner Address(2): Bath, NC
Owner Phone #: (252) 943-4086
Property Address: Bailey Pointe
Property Address(2): Lot #83
PIN: 7602-03-7137
Record #
Establishment Type: Home
Type of Well: Public Well
Design Flow (GPD): 360

Initial Site
Wastewater System: Conventional Pipe
Long Term Acceptance Rate (GPD/SQFT): 0.4
Trench Width: 3 FT
Trench Spacing (OC): 9 FT^{2EA}
Trench Bottom From NGL: 15 IN
Septic Tank Volume: 1000 GAL

